

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
(1)	SL Balcony Top Onstage	3	ETC S4 LED 19° 200w	FOH SL Wash	CC		2/441
(2)	SL Balcony Top Offstage	1	ETC S4 LED 19° 200w	FOH SL Wash	CC		2/421
(3)	SL Balcony Top Midpipe	2	ETC S4 LED 19° 200w	FOH SL Wash	CC		2/431
(4)	1E	2	ETC S4 LED 19° 200w	1E Wash <<<	CC		2/141
(5)	1E	4	ETC S4 LED 36° 200w	1E Wash <<<	CC		2/161
(6)	1E	6	ETC S4 LED 36° 200w	1E Wash <<<	CC		2/171
(7)	1E	10	ETC S4 LED 36° 200w	1E Wash <<<	CC		2/191
(11)	SR Balcony Top Midpipe	2	ETC S4 LED 19° 200w	FOH SR Wash	CC		2/471
(12)	SR Balcony Top Offstage	3	ETC S4 LED 19° 200w	FOH SR Wash	CC		2/481
(13)	SR Balcony Top Onstage	1	ETC S4 LED 19° 200w	FOH SR Wash	CC		2/461
(14)	1E	11	ETC S4 LED 36° 200w	1E Wash >>>	CC		2/201
(15)	1E	13	ETC S4 LED 36° 200w	1E Wash >>>	CC		2/211
(16)	1E	15	ETC S4 LED 36° 200w	1E Wash >>>	CC		2/181
(17)	1E	7	ETC S4 LED 36° 200w	1E Wash >>>	CC		2/181
(21)	1E	1	ETC S4 LED 36° 200w	SL Hi Side Near <<<			2/131
(22)	1E	3	ETC S4 LED 26° 200w	SL Hi Side Far <<<	CC		2/151
(23)	2E	1	ETC S4 LED 36° 200w	SL Hi Side Far <<<	CC		2/251
(24)	2E	2	ETC S4 LED 26° 200w	SL Hi Side Near <<<			2/261
(25)	3E	1	ETC S4 LED 36° 200w	SL Hi Side Far <<<	CC		2/291

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
(26)	3E	2	ETC S4 LED 26° 200w	SL Hi Side Near <<<			2/301
(27)	4E	1	ETC S4 LED 36° 200w	SL Hi Side Far <<<	CC		2/331
(28)	4E	2	ETC S4 LED 26° 200w	SL Hi Side Near <<<			2/341
(29)	5E	1	ETC S4 LED 36° 200w	SL Hi Side Near <<<			2/371
(30)	5E	2	ETC S4 LED 26° 200w	SL Hi Side Far <<<	CC		2/381
(31)	6E	1	ETC S4 26° 575w	SL Hi Side Near <<<			1/59
	"	2	"	SL Hi Side Far <<<			"
(41)	1E	16	ETC S4 LED 36° 200w	SR Hi Side Near >>>			2/241
(42)	1E	14	ETC S4 LED 26° 200w	SR Hi Side Far >>>			2/221
(43)	2E	14	ETC S4 LED 36° 200w	SR Hi Side Near >>>			2/281
(44)	2E	13	ETC S4 LED 26° 200w	SR Hi Side Near >>>			2/271
(45)	3E	14	ETC S4 LED 36° 200w	SR Hi Side Near >>>			2/321
(46)	3E	13	ETC S4 LED 26° 200w	SR Hi Side Near >>>			2/311
(47)	4E	7	ETC S4 LED 36° 200w	SR Hi Side Near >>>			2/361
(48)	4E	6	ETC S4 LED 26° 200w	SR Hi Side Near >>>			2/351
(49)	5E	14	ETC S4 LED 36° 200w	SR Hi Side Near >>>			2/401
(50)	5E	13	ETC S4 LED 26° 200w	SR Hi Side Near >>>			2/391
(51)	6E	10	ETC S4 26° 575w	SR Hi Side Near >>>			1/57
	"	11	"	"			"
(61)	SL Tab Bottom	1	ETC S4 LED 36° 200w	SL Tab Bottom <<<			2/1
(62)	SL Tab Bottom	2	ETC S4 LED 36° 200w	SL Tab Bottom <<<			2/11
(63)	SL Tab Bottom	3	ETC S4 LED 36° 200w	SL Tab Bottom <<<			2/21
(64)	SL Tab Bottom	4	ETC S4 LED 36° 200w	SL Tab Bottom <<<			2/31

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
(65)	SL Tab Bottom	5	ETC S4 LED 36° 200w	SL Tab Bottom <<<			2/41
(66)	SL Tab Bottom	6	ETC S4 LED 36° 200w	SL Tab Bottom <<<			2/51
(71)	SL Tab Top	1	ETC S4 26° 575w	SL Tab Top <<<			1/33
(72)	SL Tab Top	2	ETC S4 26° 575w	SL Tab Top <<<			1/34
(73)	SL Tab Top	3	ETC S4 26° 575w	SL Tab Top <<<			1/35
(74)	SL Tab Top	4	ETC S4 26° 575w	SL Tab Top <<<			1/36
(75)	SL Tab Top	5	ETC S4 26° 575w	SL Tab Top <<<			1/37
(76)	SL Tab Top	6	ETC S4 26° 575w	SL Tab Top <<<			1/38
(77)	SL Tab Overhung	1	ETC S4 26° 575w	SL Tab Overhung <<<			1/39
(78)	SL Tab Overhung	2	ETC S4 26° 575w	SL Tab Overhung <<<			1/40
(81)	SR Tab Bottom	1	ETC S4 LED 36° 200w	SR Tab Bottom >>>			2/61
(82)	SR Tab Bottom	2	ETC S4 LED 36° 200w	SR Tab Bottom >>>			2/71
(83)	SR Tab Bottom	3	ETC S4 LED 36° 200w	SR Tab Bottom >>>			2/81
(84)	SR Tab Bottom	4	ETC S4 LED 36° 200w	SR Tab Bottom >>>			2/91
(85)	SR Tab Bottom	5	ETC S4 LED 36° 200w	SR Tab Bottom >>>			2/101
(86)	SR Tab Bottom	6	ETC S4 LED 36° 200w	SR Tab Bottom >>>			2/111
(91)	SR Tab Top	1	ETC S4 26° 575w	SR Tab Top >>>			1/25

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
(92)	SR Tab Top	2	ETC S4 26° 575w	SR Tab Top >>>			1/26
(93)	SR Tab Top	3	ETC S4 26° 575w	SR Tab Top >>>			1/27
(94)	SR Tab Top	4	ETC S4 26° 575w	SR Tab Top >>>			1/28
(95)	SR Tab Top	5	ETC S4 26° 575w	SR Tab Top >>>			1/29
(96)	SR Tab Top	6	ETC S4 26° 575w	SR Tab Top >>>			1/30
(97)	SR Tab Overhung	1	ETC S4 26° 575w	SR Tab Overhung >>>			1/31
(98)	SR Tab Overhung	2	ETC S4 26° 575w	SR Tab Overhung >>>			1/32
(101)	2E	4	ETC D60 Lustr 200w	SL Par Wash CC			1/201
(102)	2E	7	ETC D60 Lustr 200w	C Par Wash CC			1/211
(103)	2E	11	ETC D60 Lustr 200w	SR Par Wash CC			1/221
(104)	3E	4	ETC D60 Lustr 200w	SL Par Wash CC			1/231
(105)	3E	7	ETC D60 Lustr 200w	C Par Wash CC			1/241
(106)	3E	11	ETC D60 Lustr 200w	SR Par Wash CC			1/251
(107)	4E	3	ETC D60 Lustr 200w	SL Par Wash CC			2/121
(108)	4E	4	ETC D60 Lustr 200w	C Par Wash CC			2/491
(109)	4E	5	ETC D60 Lustr 200w	SR Par Wash CC			2/501
(110)	5E	4	ETC D60 Lustr 200w	SL Par Wash CC			1/261
(111)	5E	7	ETC D60 Lustr 200w	C Par Wash CC			1/271
(112)	5E	11	ETC D60 Lustr 200w	SR Par Wash CC			1/281
(113)	2E	3	S4 Par 750w	SL Par Wash			1/16
	"	6	"	"			"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
(114)	2E	9	S4 Par 750w	SR Par Wash			1/15
	"	12	"	"			"
(115)	3E	3	S4 Par 750w	SL Par Wash			1/12
	"	6	"	"			"
(116)	3E	9	S4 Par 750w	SR Par Wash			1/7
	"	12	"	"			"
(117)	5E	3	S4 Par 750w	SL Par Wash			1/6
	"	6	"	"			"
(118)	5E	9	S4 Par 750w	SR Par Wash			1/1
	"	12	"	"			"
(121)	1E	5	ETC S4 26° 575w	SL Special			1/22
(122)	1E	8	ETC S4 26° 575w	C Special			1/21
(123)	1E	9	ETC S4 26° 575w	C Special			1/20
(124)	1E	12	ETC S4 26° 575w	SR Special			1/19
(125)	2E	5	ETC S4 26° 575w	SL Special			1/18
(126)	2E	8	ETC S4 26° 575w	C Special			1/17
(127)	2E	10	ETC S4 26° 575w	SR Special			1/14
(128)	3E	5	ETC S4 26° 575w	SL Special			1/10
(129)	3E	8	ETC S4 26° 575w	C Special			1/9
(130)	3E	10	ETC S4 26° 575w	SR Special			1/11
(131)	5E	5	ETC S4 26° 575w	SL Special			1/5
(132)	5E	8	ETC S4 26° 575w	C Special			1/56
(133)	5E	10	ETC S4 26° 575w	SR Special			1/2
(134)	SL Proc. Boom	2	ETC S4 LED 25-50 ZOOM° 200w	Proscenium Wash			1/351

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
(135)	SR Proc. Boom	2	ETC S4 LED 25-50 ZOOM° 200w	Proscenium Wash			1/371
(136)	SL Balcony Bottom Offstage	1	ETC S4 19° 575w	FOH Spec SL			1/47
(137)	SL Balcony Bottom Midpipe	2	ETC S4 LED 14° 200w	FOH Spec SL			2/411
(138)	SL Balcony Bottom Onstage	3	ETC S4 19° 575w	FOH Spec SL			1/49
(139)	SR Balcony Bottom Onstage	1	ETC S4 19° 575w	FOH Spec SR			1/43
(140)	SR Balcony Bottom Midpipe	2	ETC S4 LED 14° 200w	FOH Spec SR			2/451
(141)	SR Balcony Bottom Offstage	3	ETC S4 19° 575w	FOH Spec SR			1/41
(151)	6E	3	Altman SpectraCyc 100 200w	Cyc Top			1/401
(152)	6E	4	Altman SpectraCyc 100 200w	Cyc Top			1/405
(153)	6E	5	Altman SpectraCyc 100 200w	Cyc Top			1/409
(154)	6E	6	Altman SpectraCyc 100 200w	Cyc Top			1/413
(155)	6E	7	Altman SpectraCyc 100 200w	Cyc Top			1/417
(156)	6E	8	Altman SpectraCyc 100 200w	Cyc Top			1/421
(157)	6E	9	Altman SpectraCyc 100 200w	Cyc Top			1/425
(161)	Groundr ow	1	Altman SpectraCyc 100 200w	Cyc Bottom			1/429

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
(162)	Groundr ow	2	Altman SpectraCyc 100 200w	Cyc Bottom			1/433
(163)	Groundr ow	3	Altman SpectraCyc 100 200w	Cyc Bottom			1/437
(164)	Groundr ow	4	Altman SpectraCyc 100 200w	Cyc Bottom			1/441
(165)	Groundr ow	5	Altman SpectraCyc 100 200w	Cyc Bottom			1/445
(166)	Groundr ow	6	Altman SpectraCyc 100 200w	Cyc Bottom			1/449
(167)	Groundr ow	7	Altman SpectraCyc 100 200w	Cyc Bottom			1/453
(201)	House		House	House Lights			1/99
	"		"	"			1/98
	"		"	"			1/97
(202)	SL Proc. Boom	1	Altman 6x9 575w	Proc. Arch.			1/100
	SR Proc. Boom	"	"	"			"
(203)	SL Proc. Boom	3	ETC S4 50° 200w	Curtain Warmers			1/48
	SR Proc. Boom	"	"	"			1/42
(204)	Deck		Footlights 200w	Footlights	Red		1/197
(205)	Deck		Footlights 200w	Footlights	Blue		1/198
(206)	Deck		Footlights 200w	Footlights	Amber		1/199

Items WITHOUT Channel

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
	1E		200w	Relays			1/23
	"		"	"			1/24
	2E			Available Dimmer			1/13
	3E			"			1/8
	5E			"			1/4
	"			"			1/3
	SR Box			"			1/44
	"		200w	Relays			1/46
	SL Box			Available Dimmer			1/50
	"		200w	Relays			1/52
	"		"	"			1/51
	SR Floor			Available Dimmer			1/64
	"			"			1/63
	"			"			1/62
	"			"			1/61
	"			"			1/60
	"			"			1/58
	"			"			1/55
	"		200w	Relays			1/54
	"		"	"			1/53
	SR opto			Available for DMX addresses			1/196
	"			"			1/195
	"			"			1/194
	"			"			1/193
	"			"			1/192
	"			"			1/191
	"			"			1/190

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
	SR opto			Available for DMX addresses			1/189
	"			"			1/188
	"			"			1/187
	"			"			1/186
	"			"			1/185
	"			"			1/184
	"			"			1/183
	"			"			1/182
	"			"			1/181
	"			"			1/180
	"			"			1/179
	"			"			1/178
	"			"			1/177
	"			"			1/176
	"			"			1/175
	"			"			1/174
	"			"			1/173
	"			"			1/172
	"			"			1/171
	"			"			1/170
	"			"			1/169
	"			"			1/168
	"			"			1/167
	"			"			1/166
	"			"			1/165
	"			"			1/164
	"			"			1/163

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
	SR opto			Available for DMX addresses			1/162
	"			"			1/161
	"			"			1/160
	"			"			1/159
	"			"			1/158
	"			"			1/157
	"			"			1/156
	"			"			1/155
	"			"			1/154
	"			"			1/153
	"			"			1/152
	"			"			1/151
	"			"			1/150
	"			"			1/149
	"			"			1/148
	"			"			1/147
	"			"			1/146
	"			"			1/145
	"			"			1/144
	"			"			1/143
	"			"			1/142
	"			"			1/141
	"			"			1/140
	"			"			1/139
	"			"			1/138
	"			"			1/137
	"			"			1/136

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
	SR opto			Available for DMX addresses			1/135
	"			"			1/134
	"			"			1/133
	"			"			1/132
	"			"			1/131
	"			"			1/130
	"			"			1/129
	"			"			1/128
	"			"			1/127
	"			"			1/126
	"			"			1/125
	"			"			1/124
	"			"			1/123
	"			"			1/122
	"			"			1/121
	"			"			1/120
	"			"			1/119
	"			"			1/118
	"			"			1/117
	"			"			1/116
	"			"			1/115
	"			"			1/114
	"			"			1/113
	"			"			1/112
	"			"			1/111
	"			"			1/110
	"			"			1/109

Items WITHOUT Channel

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
	SR opto			Available for DMX addresses			1/108
	"			"			1/107
	"			"			1/106
	"			"			1/105
	"			"			1/104
	"			"			1/103
	"			"			1/102
	"			"			1/101
	"			"			1/96
	"			"			1/95
	"			"			1/94
	"			"			1/93
	"			"			1/92
	"			"			1/91
	"			"			1/90
	"			"			1/89
	"			"			1/88
	"			"			1/87
	"			"			1/86
	"			"			1/85
	"			"			1/84
	"			"			1/83
	"			"			1/82
	"			"			1/81
	"			"			1/80
	"			"			1/79
	"			"			1/78

Channel Hookup

Items WITHOUT Channel

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gb	Dm	Addr
	SR opto			Available for DMX addresses			1/77
	"			"			1/76
	"			"			1/75
	"			"			1/74
	"			"			1/73
	"			"			1/72
	"			"			1/71
	"			"			1/70
	"			"			1/69
	"			"			1/68
	"			"			1/67
	"			"			1/66
	"			"			1/65

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/1	(118)	5E	9	S4 Par 750w	SR Par Wash	
	"	"	12	"	"	
1/2	(133)	5E	10	ETC S4 26° 575w	SR Special	
1/3		5E			Available Dimmer	
1/4		5E			Available Dimmer	
1/5	(131)	5E	5	ETC S4 26° 575w	SL Special	
1/6	(117)	5E	3	S4 Par 750w	SL Par Wash	
	"	"	6	"	"	
1/7	(116)	3E	9	S4 Par 750w	SR Par Wash	
	"	"	12	"	"	
1/8		3E			Available Dimmer	
1/9	(129)	3E	8	ETC S4 26° 575w	C Special	
1/10	(128)	3E	5	ETC S4 26° 575w	SL Special	
1/11	(130)	3E	10	ETC S4 26° 575w	SR Special	
1/12	(115)	3E	3	S4 Par 750w	SL Par Wash	
	"	"	6	"	"	
1/13		2E			Available Dimmer	
1/14	(127)	2E	10	ETC S4 26° 575w	SR Special	
1/15	(114)	2E	9	S4 Par 750w	SR Par Wash	
	"	"	12	"	"	
1/16	(113)	2E	3	S4 Par 750w	SL Par Wash	
	"	"	6	"	"	
1/17	(126)	2E	8	ETC S4 26° 575w	C Special	
1/18	(125)	2E	5	ETC S4 26° 575w	SL Special	
1/19	(124)	1E	12	ETC S4 26° 575w	SR Special	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/20	(123)	1E	9	ETC S4 26° 575w	C Special	
1/21	(122)	1E	8	ETC S4 26° 575w	C Special	
1/22	(121)	1E	5	ETC S4 26° 575w	SL Special	
1/23		1E		200w	Relays	
1/24		1E		200w	Relays	
1/25	(91)	SR Tab Top	1	ETC S4 26° 575w	SR Tab Top >>>	
1/26	(92)	SR Tab Top	2	ETC S4 26° 575w	SR Tab Top >>>	
1/27	(93)	SR Tab Top	3	ETC S4 26° 575w	SR Tab Top >>>	
1/28	(94)	SR Tab Top	4	ETC S4 26° 575w	SR Tab Top >>>	
1/29	(95)	SR Tab Top	5	ETC S4 26° 575w	SR Tab Top >>>	
1/30	(96)	SR Tab Top	6	ETC S4 26° 575w	SR Tab Top >>>	
1/31	(97)	SR Tab Overhung	1	ETC S4 26° 575w	SR Tab Overhung >>>	
1/32	(98)	SR Tab Overhung	2	ETC S4 26° 575w	SR Tab Overhung >>>	
1/33	(71)	SL Tab Top	1	ETC S4 26° 575w	SL Tab Top <<<	
1/34	(72)	SL Tab Top	2	ETC S4 26° 575w	SL Tab Top <<<	
1/35	(73)	SL Tab Top	3	ETC S4 26° 575w	SL Tab Top <<<	
1/36	(74)	SL Tab Top	4	ETC S4 26° 575w	SL Tab Top <<<	
1/37	(75)	SL Tab Top	5	ETC S4 26° 575w	SL Tab Top <<<	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/38	(76)	SL Tab Top	6	ETC S4 26° 575w	SL Tab Top <<<	
1/39	(77)	SL Tab Overhung	1	ETC S4 26° 575w	SL Tab Overhung <<<	
1/40	(78)	SL Tab Overhung	2	ETC S4 26° 575w	SL Tab Overhung <<<	
1/41	(141)	SR Balcony Bottom Offstage	3	ETC S4 19° 575w	FOH Spec SR	
1/42	(203)	SR Proc. Boom	3	ETC S4 50° 200w	Curtain Warmers	
1/43	(139)	SR Balcony Bottom Onstage	1	ETC S4 19° 575w	FOH Spec SR	
1/44		SR Box			Available Dimmer	
1/46		SR Box		200w	Relays	
1/47	(136)	SL Balcony Bottom Offstage	1	ETC S4 19° 575w	FOH Spec SL	
1/48	(203)	SL Proc. Boom	3	ETC S4 50° 200w	Curtain Warmers	
1/49	(138)	SL Balcony Bottom Onstage	3	ETC S4 19° 575w	FOH Spec SL	
1/50		SL Box			Available Dimmer	
1/51		SL Box		200w	Relays	
1/52		SL Box		200w	Relays	
1/53		SR Floor		200w	Relays	
1/54		SR Floor		200w	Relays	
1/55		SR Floor			Available Dimmer	
1/56	(132)	5E	8	ETC S4 26° 575w	C Special	
1/57	(51)	6E	10	ETC S4 26° 575w	SR Hi Side Near >>>	
	"	"	11	"	"	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/58		SR Floor			Available Dimmer	
1/59	(31)	6E	1	ETC S4 26° 575w	SL Hi Side Near <<<	
	"	"	2	"	SL Hi Side Far <<<	
1/60		SR Floor			Available Dimmer	
1/61		SR Floor			Available Dimmer	
1/62		SR Floor			Available Dimmer	
1/63		SR Floor			Available Dimmer	
1/64		SR Floor			Available Dimmer	
1/65		SR opto			Available for DMX addresses	
1/66		SR opto			Available for DMX addresses	
1/67		SR opto			Available for DMX addresses	
1/68		SR opto			Available for DMX addresses	
1/69		SR opto			Available for DMX addresses	
1/70		SR opto			Available for DMX addresses	
1/71		SR opto			Available for DMX addresses	
1/72		SR opto			Available for DMX addresses	
1/73		SR opto			Available for DMX addresses	
1/74		SR opto			Available for DMX addresses	
1/75		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/76		SR opto			Available for DMX addresses	
1/77		SR opto			Available for DMX addresses	
1/78		SR opto			Available for DMX addresses	
1/79		SR opto			Available for DMX addresses	
1/80		SR opto			Available for DMX addresses	
1/81		SR opto			Available for DMX addresses	
1/82		SR opto			Available for DMX addresses	
1/83		SR opto			Available for DMX addresses	
1/84		SR opto			Available for DMX addresses	
1/85		SR opto			Available for DMX addresses	
1/86		SR opto			Available for DMX addresses	
1/87		SR opto			Available for DMX addresses	
1/88		SR opto			Available for DMX addresses	
1/89		SR opto			Available for DMX addresses	
1/90		SR opto			Available for DMX addresses	
1/91		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/92		SR opto			Available for DMX addresses	
1/93		SR opto			Available for DMX addresses	
1/94		SR opto			Available for DMX addresses	
1/95		SR opto			Available for DMX addresses	
1/96		SR opto			Available for DMX addresses	
1/97	(201)	House		House	House Lights	
1/98	(201)	House		House	House Lights	
1/99	(201)	House		House	House Lights	
1/100	(202)	SL Proc. Boom	1	Altman 6x9 575w	Proc. Arch.	
	"	SR Proc. Boom	"	"	"	
1/101		SR opto			Available for DMX addresses	
1/102		SR opto			Available for DMX addresses	
1/103		SR opto			Available for DMX addresses	
1/104		SR opto			Available for DMX addresses	
1/105		SR opto			Available for DMX addresses	
1/106		SR opto			Available for DMX addresses	
1/107		SR opto			Available for DMX addresses	
1/108		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/109		SR opto			Available for DMX addresses	
1/110		SR opto			Available for DMX addresses	
1/111		SR opto			Available for DMX addresses	
1/112		SR opto			Available for DMX addresses	
1/113		SR opto			Available for DMX addresses	
1/114		SR opto			Available for DMX addresses	
1/115		SR opto			Available for DMX addresses	
1/116		SR opto			Available for DMX addresses	
1/117		SR opto			Available for DMX addresses	
1/118		SR opto			Available for DMX addresses	
1/119		SR opto			Available for DMX addresses	
1/120		SR opto			Available for DMX addresses	
1/121		SR opto			Available for DMX addresses	
1/122		SR opto			Available for DMX addresses	
1/123		SR opto			Available for DMX addresses	
1/124		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/125		SR opto			Available for DMX addresses	
1/126		SR opto			Available for DMX addresses	
1/127		SR opto			Available for DMX addresses	
1/128		SR opto			Available for DMX addresses	
1/129		SR opto			Available for DMX addresses	
1/130		SR opto			Available for DMX addresses	
1/131		SR opto			Available for DMX addresses	
1/132		SR opto			Available for DMX addresses	
1/133		SR opto			Available for DMX addresses	
1/134		SR opto			Available for DMX addresses	
1/135		SR opto			Available for DMX addresses	
1/136		SR opto			Available for DMX addresses	
1/137		SR opto			Available for DMX addresses	
1/138		SR opto			Available for DMX addresses	
1/139		SR opto			Available for DMX addresses	
1/140		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/141		SR opto			Available for DMX addresses	
1/142		SR opto			Available for DMX addresses	
1/143		SR opto			Available for DMX addresses	
1/144		SR opto			Available for DMX addresses	
1/145		SR opto			Available for DMX addresses	
1/146		SR opto			Available for DMX addresses	
1/147		SR opto			Available for DMX addresses	
1/148		SR opto			Available for DMX addresses	
1/149		SR opto			Available for DMX addresses	
1/150		SR opto			Available for DMX addresses	
1/151		SR opto			Available for DMX addresses	
1/152		SR opto			Available for DMX addresses	
1/153		SR opto			Available for DMX addresses	
1/154		SR opto			Available for DMX addresses	
1/155		SR opto			Available for DMX addresses	
1/156		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/157		SR opto			Available for DMX addresses	
1/158		SR opto			Available for DMX addresses	
1/159		SR opto			Available for DMX addresses	
1/160		SR opto			Available for DMX addresses	
1/161		SR opto			Available for DMX addresses	
1/162		SR opto			Available for DMX addresses	
1/163		SR opto			Available for DMX addresses	
1/164		SR opto			Available for DMX addresses	
1/165		SR opto			Available for DMX addresses	
1/166		SR opto			Available for DMX addresses	
1/167		SR opto			Available for DMX addresses	
1/168		SR opto			Available for DMX addresses	
1/169		SR opto			Available for DMX addresses	
1/170		SR opto			Available for DMX addresses	
1/171		SR opto			Available for DMX addresses	
1/172		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/173		SR opto			Available for DMX addresses	
1/174		SR opto			Available for DMX addresses	
1/175		SR opto			Available for DMX addresses	
1/176		SR opto			Available for DMX addresses	
1/177		SR opto			Available for DMX addresses	
1/178		SR opto			Available for DMX addresses	
1/179		SR opto			Available for DMX addresses	
1/180		SR opto			Available for DMX addresses	
1/181		SR opto			Available for DMX addresses	
1/182		SR opto			Available for DMX addresses	
1/183		SR opto			Available for DMX addresses	
1/184		SR opto			Available for DMX addresses	
1/185		SR opto			Available for DMX addresses	
1/186		SR opto			Available for DMX addresses	
1/187		SR opto			Available for DMX addresses	
1/188		SR opto			Available for DMX addresses	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/189		SR opto			Available for DMX addresses	
1/190		SR opto			Available for DMX addresses	
1/191		SR opto			Available for DMX addresses	
1/192		SR opto			Available for DMX addresses	
1/193		SR opto			Available for DMX addresses	
1/194		SR opto			Available for DMX addresses	
1/195		SR opto			Available for DMX addresses	
1/196		SR opto			Available for DMX addresses	
1/197	(204)	Deck		Footlights 200w	Footlights	Red
1/198	(205)	Deck		Footlights 200w	Footlights	Blue
1/199	(206)	Deck		Footlights 200w	Footlights	Amber
1/201	(101)	2E	4	ETC D60 Lustr 200w	SL Par Wash CC	
1/211	(102)	2E	7	ETC D60 Lustr 200w	C Par Wash CC	
1/221	(103)	2E	11	ETC D60 Lustr 200w	SR Par Wash CC	
1/231	(104)	3E	4	ETC D60 Lustr 200w	SL Par Wash CC	
1/241	(105)	3E	7	ETC D60 Lustr 200w	C Par Wash CC	
1/251	(106)	3E	11	ETC D60 Lustr 200w	SR Par Wash CC	
1/261	(110)	5E	4	ETC D60 Lustr 200w	SL Par Wash CC	
1/271	(111)	5E	7	ETC D60 Lustr 200w	C Par Wash CC	
1/281	(112)	5E	11	ETC D60 Lustr 200w	SR Par Wash CC	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
1/351	(134)	SL Proc. Boom	2	ETC S4 LED 25-50 ZOOM° 200w	Proscenium Wash	
1/371	(135)	SR Proc. Boom	2	ETC S4 LED 25-50 ZOOM° 200w	Proscenium Wash	
1/401	(151)	6E	3	Altman SpectraCyc 100 200w	Cyc Top	
1/405	(152)	6E	4	Altman SpectraCyc 100 200w	Cyc Top	
1/409	(153)	6E	5	Altman SpectraCyc 100 200w	Cyc Top	
1/413	(154)	6E	6	Altman SpectraCyc 100 200w	Cyc Top	
1/417	(155)	6E	7	Altman SpectraCyc 100 200w	Cyc Top	
1/421	(156)	6E	8	Altman SpectraCyc 100 200w	Cyc Top	
1/425	(157)	6E	9	Altman SpectraCyc 100 200w	Cyc Top	
1/429	(161)	Groundro w	1	Altman SpectraCyc 100 200w	Cyc Bottom	
1/433	(162)	Groundro w	2	Altman SpectraCyc 100 200w	Cyc Bottom	
1/437	(163)	Groundro w	3	Altman SpectraCyc 100 200w	Cyc Bottom	
1/441	(164)	Groundro w	4	Altman SpectraCyc 100 200w	Cyc Bottom	
1/445	(165)	Groundro w	5	Altman SpectraCyc 100 200w	Cyc Bottom	
1/449	(166)	Groundro w	6	Altman SpectraCyc 100 200w	Cyc Bottom	
1/453	(167)	Groundro w	7	Altman SpectraCyc 100 200w	Cyc Bottom	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
2/1	(61)	SL Tab Bottom	1	ETC S4 LED 36° 200w	SL Tab Bottom <<<	
2/11	(62)	SL Tab Bottom	2	ETC S4 LED 36° 200w	SL Tab Bottom <<<	
2/21	(63)	SL Tab Bottom	3	ETC S4 LED 36° 200w	SL Tab Bottom <<<	
2/31	(64)	SL Tab Bottom	4	ETC S4 LED 36° 200w	SL Tab Bottom <<<	
2/41	(65)	SL Tab Bottom	5	ETC S4 LED 36° 200w	SL Tab Bottom <<<	
2/51	(66)	SL Tab Bottom	6	ETC S4 LED 36° 200w	SL Tab Bottom <<<	
2/61	(81)	SR Tab Bottom	1	ETC S4 LED 36° 200w	SR Tab Bottom >>>	
2/71	(82)	SR Tab Bottom	2	ETC S4 LED 36° 200w	SR Tab Bottom >>>	
2/81	(83)	SR Tab Bottom	3	ETC S4 LED 36° 200w	SR Tab Bottom >>>	
2/91	(84)	SR Tab Bottom	4	ETC S4 LED 36° 200w	SR Tab Bottom >>>	
2/101	(85)	SR Tab Bottom	5	ETC S4 LED 36° 200w	SR Tab Bottom >>>	
2/111	(86)	SR Tab Bottom	6	ETC S4 LED 36° 200w	SR Tab Bottom >>>	
2/121	(107)	4E	3	ETC D60 Lustr 200w	SL Par Wash CC	
2/131	(21)	1E	1	ETC S4 LED 36° 200w	SL Hi Side Near <<<	
2/141	(4)	1E	2	ETC S4 LED 19° 200w	1E Wash <<<	CC
2/151	(22)	1E	3	ETC S4 LED 26° 200w	SL Hi Side Far <<<	CC
2/161	(5)	1E	4	ETC S4 LED 36° 200w	1E Wash <<<	CC
2/171	(6)	1E	6	ETC S4 LED 36° 200w	1E Wash <<<	CC

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
2/181	(17)	1E	7	ETC S4 LED 36° 200w	1E Wash >>>	CC
	(16)	"	15	"	"	"
2/191	(7)	1E	10	ETC S4 LED 36° 200w	1E Wash <<<	CC
2/201	(14)	1E	11	ETC S4 LED 36° 200w	1E Wash >>>	CC
2/211	(15)	1E	13	ETC S4 LED 36° 200w	1E Wash >>>	CC
2/221	(42)	1E	14	ETC S4 LED 26° 200w	SR Hi Side Far >>>	
2/241	(41)	1E	16	ETC S4 LED 36° 200w	SR Hi Side Near >>>	
2/251	(23)	2E	1	ETC S4 LED 36° 200w	SL Hi Side Far <<<	CC
2/261	(24)	2E	2	ETC S4 LED 26° 200w	SL Hi Side Near <<<	
2/271	(44)	2E	13	ETC S4 LED 26° 200w	SR Hi Side Near >>>	
2/281	(43)	2E	14	ETC S4 LED 36° 200w	SR Hi Side Near >>>	
2/291	(25)	3E	1	ETC S4 LED 36° 200w	SL Hi Side Far <<<	CC
2/301	(26)	3E	2	ETC S4 LED 26° 200w	SL Hi Side Near <<<	
2/311	(46)	3E	13	ETC S4 LED 26° 200w	SR Hi Side Near >>>	
2/321	(45)	3E	14	ETC S4 LED 36° 200w	SR Hi Side Near >>>	
2/331	(27)	4E	1	ETC S4 LED 36° 200w	SL Hi Side Far <<<	CC
2/341	(28)	4E	2	ETC S4 LED 26° 200w	SL Hi Side Near <<<	
2/351	(48)	4E	6	ETC S4 LED 26° 200w	SR Hi Side Near >>>	
2/361	(47)	4E	7	ETC S4 LED 36° 200w	SR Hi Side Near >>>	
2/371	(29)	5E	1	ETC S4 LED 36° 200w	SL Hi Side Near <<<	
2/381	(30)	5E	2	ETC S4 LED 26° 200w	SL Hi Side Far <<<	CC
2/391	(50)	5E	13	ETC S4 LED 26° 200w	SR Hi Side Near >>>	
2/401	(49)	5E	14	ETC S4 LED 36° 200w	SR Hi Side Near >>>	
2/411	(137)	SL Balcony Bottom Midpipe	2	ETC S4 LED 14° 200w	FOH Spec SL	

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo
2/421	(2)	SL Balcony Top Offstage	1	ETC S4 LED 19° 200w	FOH SL Wash	CC
2/431	(3)	SL Balcony Top Midpipe	2	ETC S4 LED 19° 200w	FOH SL Wash	CC
2/441	(1)	SL Balcony Top Onstage	3	ETC S4 LED 19° 200w	FOH SL Wash	CC
2/451	(140)	SR Balcony Bottom Midpipe	2	ETC S4 LED 14° 200w	FOH Spec SR	
2/461	(13)	SR Balcony Top Onstage	1	ETC S4 LED 19° 200w	FOH SR Wash	CC
2/471	(11)	SR Balcony Top Midpipe	2	ETC S4 LED 19° 200w	FOH SR Wash	CC
2/481	(12)	SR Balcony Top Offstage	3	ETC S4 LED 19° 200w	FOH SR Wash	CC
2/491	(108)	4E	4	ETC D60 Lustr 200w	C Par Wash CC	
2/501	(109)	4E	5	ETC D60 Lustr 200w	SR Par Wash CC	

SL Balcony Top Offstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	FOH SL Wash	ETC S4 LED 19°	200w	CC	(2)	2/421	

SL Balcony Top Midpipe

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
2	FOH SL Wash	ETC S4 LED 19°	200w	CC	(3)	2/431	

SL Balcony Top Onstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
3	FOH SL Wash	ETC S4 LED 19°	200w	CC	(1)	2/441	

SL Balcony Bottom Offstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	FOH Spec SL	ETC S4 19°	575w		(136)	1/47	

SL Balcony Bottom Onstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
3	FOH Spec SL	ETC S4 19°	575w		(138)	1/49	

SL Balcony Bottom Midpipe

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
2	FOH Spec SL	ETC S4 LED 14°	200w		(137)	2/411	

SR Balcony Top Onstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	FOH SR Wash	ETC S4 LED 19°	200w	CC	(13)	2/461	

SR Balcony Top Midpipe

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
2	FOH SR Wash	ETC S4 LED 19°	200w	CC	(11)	2/471	

SR Balcony Top Offstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
3	FOH SR Wash	ETC S4 LED 19°	200w	CC	(12)	2/481	

SR Balcony Bottom Onstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	FOH Spec SR	ETC S4 19°	575w		(139)	1/43	

SR Balcony Bottom Offstage

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
3	FOH Spec SR	ETC S4 19°	575w		(141)	1/41	

SR Balcony Bottom Midpipe

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
2	FOH Spec SR	ETC S4 LED 14°	200w		(140)	2/451	

SL Proc. Boom

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	Proc. Arch.	Altman 6x9	575w		(202)	1/100	
2	Proscenium Wash	ETC S4 LED 25-50 ZOOM°	200w		(134)	1/351	
3	Curtain Warmers	ETC S4 50°	200w		(203)	1/48	

SR Proc. Boom

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	Proc. Arch.	Altman 6x9	575w		(202)	1/100	
2	Proscenium Wash	ETC S4 LED 25-50 ZOOM°	200w		(135)	1/371	
3	Curtain Warmers	ETC S4 50°	200w		(203)	1/42	

1E

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Relays		200w			1/24	
	Relays		200w			1/23	
1	SL Hi Side Near <<<	ETC S4 LED 36°	200w		(21)	2/131	
2	1E Wash <<<	ETC S4 LED 19°	200w	CC	(4)	2/141	
3	SL Hi Side Far <<<	ETC S4 LED 26°	200w	CC	(22)	2/151	
4	1E Wash <<<	ETC S4 LED 36°	200w	CC	(5)	2/161	
5	SL Special	ETC S4 26°	575w		(121)	1/22	
6	1E Wash <<<	ETC S4 LED 36°	200w	CC	(6)	2/171	
7	1E Wash >>>	ETC S4 LED 36°	200w	CC	(17)	2/181	
8	C Special	ETC S4 26°	575w		(122)	1/21	
9	C Special	ETC S4 26°	575w		(123)	1/20	
10	1E Wash <<<	ETC S4 LED 36°	200w	CC	(7)	2/191	
11	1E Wash >>>	ETC S4 LED 36°	200w	CC	(14)	2/201	
12	SR Special	ETC S4 26°	575w		(124)	1/19	
13	1E Wash >>>	ETC S4 LED 36°	200w	CC	(15)	2/211	
14	SR Hi Side Far >>>	ETC S4 LED 26°	200w		(42)	2/221	
15	1E Wash >>>	ETC S4 LED 36°	200w	CC	(16)	2/181	
16	SR Hi Side Near >>>	ETC S4 LED 36°	200w		(41)	2/241	

2E

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available Dimmer					1/13	
1	SL Hi Side Far <<<	ETC S4 LED 36°	200w	CC	(23)	2/251	
2	SL Hi Side Near <<<	ETC S4 LED 26°	200w		(24)	2/261	
3	SL Par Wash	S4 Par	750w		(113)	1/16	
4	SL Par Wash CC	ETC D60 Lustr	200w		(101)	1/201	
5	SL Special	ETC S4 26°	575w		(125)	1/18	
6	SL Par Wash	S4 Par	750w		(113)	1/16	
7	C Par Wash CC	ETC D60 Lustr	200w		(102)	1/211	
8	C Special	ETC S4 26°	575w		(126)	1/17	
9	SR Par Wash	S4 Par	750w		(114)	1/15	
10	SR Special	ETC S4 26°	575w		(127)	1/14	
11	SR Par Wash CC	ETC D60 Lustr	200w		(103)	1/221	
12	SR Par Wash	S4 Par	750w		(114)	1/15	
13	SR Hi Side Near >>>	ETC S4 LED 26°	200w		(44)	2/271	
14	SR Hi Side Near >>>	ETC S4 LED 36°	200w		(43)	2/281	

3E

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available Dimmer					1/8	
1	SL Hi Side Far <<<	ETC S4 LED 36°	200w	CC	(25)	2/291	
2	SL Hi Side Near <<<	ETC S4 LED 26°	200w		(26)	2/301	
3	SL Par Wash	S4 Par	750w		(115)	1/12	
4	SL Par Wash CC	ETC D60 Lustr	200w		(104)	1/231	
5	SL Special	ETC S4 26°	575w		(128)	1/10	
6	SL Par Wash	S4 Par	750w		(115)	1/12	
7	C Par Wash CC	ETC D60 Lustr	200w		(105)	1/241	
8	C Special	ETC S4 26°	575w		(129)	1/9	
9	SR Par Wash	S4 Par	750w		(116)	1/7	
10	SR Special	ETC S4 26°	575w		(130)	1/11	
11	SR Par Wash CC	ETC D60 Lustr	200w		(106)	1/251	
12	SR Par Wash	S4 Par	750w		(116)	1/7	
13	SR Hi Side Near >>>	ETC S4 LED 26°	200w		(46)	2/311	
14	SR Hi Side Near >>>	ETC S4 LED 36°	200w		(45)	2/321	

4E

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SL Hi Side Far <<<	ETC S4 LED 36°	200w	CC	(27)	2/331	
2	SL Hi Side Near <<<	ETC S4 LED 26°	200w		(28)	2/341	
3	SL Par Wash CC	ETC D60 Lustr	200w		(107)	2/121	
4	C Par Wash CC	ETC D60 Lustr	200w		(108)	2/491	
5	SR Par Wash CC	ETC D60 Lustr	200w		(109)	2/501	
6	SR Hi Side Near >>>	ETC S4 LED 26°	200w		(48)	2/351	
7	SR Hi Side Near >>>	ETC S4 LED 36°	200w		(47)	2/361	

5E

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available Dimmer					1/4	
	Available Dimmer					1/3	
1	SL Hi Side Near <<<	ETC S4 LED 36°	200w		(29)	2/371	
2	SL Hi Side Far <<<	ETC S4 LED 26°	200w	CC	(30)	2/381	
3	SL Par Wash	S4 Par	750w		(117)	1/6	
4	SL Par Wash CC	ETC D60 Lustr	200w		(110)	1/261	
5	SL Special	ETC S4 26°	575w		(131)	1/5	
6	SL Par Wash	S4 Par	750w		(117)	1/6	
7	C Par Wash CC	ETC D60 Lustr	200w		(111)	1/271	
8	C Special	ETC S4 26°	575w		(132)	1/56	
9	SR Par Wash	S4 Par	750w		(118)	1/1	
10	SR Special	ETC S4 26°	575w		(133)	1/2	
11	SR Par Wash CC	ETC D60 Lustr	200w		(112)	1/281	
12	SR Par Wash	S4 Par	750w		(118)	1/1	
13	SR Hi Side Near >>>	ETC S4 LED 26°	200w		(50)	2/391	
14	SR Hi Side Near >>>	ETC S4 LED 36°	200w		(49)	2/401	

6E

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SL Hi Side Near <<<	ETC S4 26°	575w		(31)	1/59	
2	SL Hi Side Far <<<	ETC S4 26°	575w		(31)	1/59	
3	Cyc Top	Altman SpectraCyc 100	200w		(151)	1/401	
4	Cyc Top	Altman SpectraCyc 100	200w		(152)	1/405	
5	Cyc Top	Altman SpectraCyc 100	200w		(153)	1/409	
6	Cyc Top	Altman SpectraCyc 100	200w		(154)	1/413	
7	Cyc Top	Altman SpectraCyc 100	200w		(155)	1/417	
8	Cyc Top	Altman SpectraCyc 100	200w		(156)	1/421	
9	Cyc Top	Altman SpectraCyc 100	200w		(157)	1/425	
10	SR Hi Side Near >>>	ETC S4 26°	575w		(51)	1/57	
11	SR Hi Side Near >>>	ETC S4 26°	575w		(51)	1/57	

SL Tab Bottom

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SL Tab Bottom <<<	ETC S4 LED 36°	200w		(61)	2/1	
2	SL Tab Bottom <<<	ETC S4 LED 36°	200w		(62)	2/11	
3	SL Tab Bottom <<<	ETC S4 LED 36°	200w		(63)	2/21	
4	SL Tab Bottom <<<	ETC S4 LED 36°	200w		(64)	2/31	
5	SL Tab Bottom <<<	ETC S4 LED 36°	200w		(65)	2/41	
6	SL Tab Bottom <<<	ETC S4 LED 36°	200w		(66)	2/51	

SL Tab Top

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SL Tab Top <<<	ETC S4 26°	575w		(71)	1/33	
2	SL Tab Top <<<	ETC S4 26°	575w		(72)	1/34	
3	SL Tab Top <<<	ETC S4 26°	575w		(73)	1/35	
4	SL Tab Top <<<	ETC S4 26°	575w		(74)	1/36	
5	SL Tab Top <<<	ETC S4 26°	575w		(75)	1/37	
6	SL Tab Top <<<	ETC S4 26°	575w		(76)	1/38	

SL Tab Overhung

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SL Tab Overhung <<<	ETC S4 26°	575w		(77)	1/39	
2	SL Tab Overhung <<<	ETC S4 26°	575w		(78)	1/40	

SR Tab Bottom

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SR Tab Bottom >>>	ETC S4 LED 36°	200w		(81)	2/61	
2	SR Tab Bottom >>>	ETC S4 LED 36°	200w		(82)	2/71	
3	SR Tab Bottom >>>	ETC S4 LED 36°	200w		(83)	2/81	
4	SR Tab Bottom >>>	ETC S4 LED 36°	200w		(84)	2/91	
5	SR Tab Bottom >>>	ETC S4 LED 36°	200w		(85)	2/101	
6	SR Tab Bottom >>>	ETC S4 LED 36°	200w		(86)	2/111	

SR Tab Top

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SR Tab Top >>>	ETC S4 26°	575w		(91)	1/25	
2	SR Tab Top >>>	ETC S4 26°	575w		(92)	1/26	
3	SR Tab Top >>>	ETC S4 26°	575w		(93)	1/27	
4	SR Tab Top >>>	ETC S4 26°	575w		(94)	1/28	
5	SR Tab Top >>>	ETC S4 26°	575w		(95)	1/29	
6	SR Tab Top >>>	ETC S4 26°	575w		(96)	1/30	

SR Tab Overhung

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	SR Tab Overhung >>>	ETC S4 26°	575w		(97)	1/31	
2	SR Tab Overhung >>>	ETC S4 26°	575w		(98)	1/32	

Groundrow

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
1	Cyc Bottom	Altman SpectraCyc 100	200w		(161)	1/429	
2	Cyc Bottom	Altman SpectraCyc 100	200w		(162)	1/433	
3	Cyc Bottom	Altman SpectraCyc 100	200w		(163)	1/437	
4	Cyc Bottom	Altman SpectraCyc 100	200w		(164)	1/441	
5	Cyc Bottom	Altman SpectraCyc 100	200w		(165)	1/445	
6	Cyc Bottom	Altman SpectraCyc 100	200w		(166)	1/449	
7	Cyc Bottom	Altman SpectraCyc 100	200w		(167)	1/453	

House

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	House Lights	House			(201)	1/99	
	House Lights	House			(201)	1/98	
	House Lights	House			(201)	1/97	

Deck

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Footlights	Footlights	200w	Amber	(206)	1/199	
	Footlights	Footlights	200w	Blue	(205)	1/198	
	Footlights	Footlights	200w	Red	(204)	1/197	

SR Box

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available Dimmer					1/44	
	Relays		200w			1/46	

SL Box

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available Dimmer					1/50	
	Relays		200w			1/52	
	Relays		200w			1/51	

SR Floor

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available Dimmer					1/64	
	Available Dimmer					1/63	
	Available Dimmer					1/62	
	Available Dimmer					1/61	
	Available Dimmer					1/60	
	Available Dimmer					1/58	
	Available Dimmer					1/55	
	Relays		200w			1/54	
	Relays		200w			1/53	

SR opto

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available for DMX addresses					1/196	
	Available for DMX addresses					1/195	
	Available for DMX addresses					1/194	
	Available for DMX addresses					1/193	
	Available for DMX addresses					1/192	
	Available for DMX addresses					1/191	
	Available for DMX addresses					1/190	
	Available for DMX addresses					1/189	
	Available for DMX addresses					1/188	
	Available for DMX addresses					1/187	
	Available for DMX addresses					1/186	
	Available for DMX addresses					1/185	
	Available for DMX addresses					1/184	
	Available for DMX addresses					1/183	
	Available for DMX addresses					1/182	
	Available for DMX addresses					1/181	
	Available for DMX addresses					1/180	
	Available for DMX addresses					1/179	
	Available for DMX addresses					1/178	
	Available for DMX addresses					1/177	
	Available for DMX addresses					1/176	
	Available for DMX addresses					1/175	
	Available for DMX addresses					1/174	
	Available for DMX addresses					1/173	
	Available for DMX addresses					1/172	
	Available for DMX addresses					1/171	

SR opto

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available for DMX addresses					1/170	
	Available for DMX addresses					1/169	
	Available for DMX addresses					1/168	
	Available for DMX addresses					1/167	
	Available for DMX addresses					1/166	
	Available for DMX addresses					1/165	
	Available for DMX addresses					1/164	
	Available for DMX addresses					1/163	
	Available for DMX addresses					1/162	
	Available for DMX addresses					1/161	
	Available for DMX addresses					1/160	
	Available for DMX addresses					1/159	
	Available for DMX addresses					1/158	
	Available for DMX addresses					1/157	
	Available for DMX addresses					1/156	
	Available for DMX addresses					1/155	
	Available for DMX addresses					1/154	
	Available for DMX addresses					1/153	
	Available for DMX addresses					1/152	
	Available for DMX addresses					1/151	
	Available for DMX addresses					1/150	
	Available for DMX addresses					1/149	
	Available for DMX addresses					1/148	
	Available for DMX addresses					1/147	
	Available for DMX addresses					1/146	
	Available for DMX addresses					1/145	

SR opto

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available for DMX addresses					1/144	
	Available for DMX addresses					1/143	
	Available for DMX addresses					1/142	
	Available for DMX addresses					1/141	
	Available for DMX addresses					1/140	
	Available for DMX addresses					1/139	
	Available for DMX addresses					1/138	
	Available for DMX addresses					1/137	
	Available for DMX addresses					1/136	
	Available for DMX addresses					1/135	
	Available for DMX addresses					1/134	
	Available for DMX addresses					1/133	
	Available for DMX addresses					1/132	
	Available for DMX addresses					1/131	
	Available for DMX addresses					1/130	
	Available for DMX addresses					1/129	
	Available for DMX addresses					1/128	
	Available for DMX addresses					1/127	
	Available for DMX addresses					1/126	
	Available for DMX addresses					1/125	
	Available for DMX addresses					1/124	
	Available for DMX addresses					1/123	
	Available for DMX addresses					1/122	
	Available for DMX addresses					1/121	
	Available for DMX addresses					1/120	
	Available for DMX addresses					1/119	

SR opto

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available for DMX addresses					1/118	
	Available for DMX addresses					1/117	
	Available for DMX addresses					1/116	
	Available for DMX addresses					1/115	
	Available for DMX addresses					1/114	
	Available for DMX addresses					1/113	
	Available for DMX addresses					1/112	
	Available for DMX addresses					1/111	
	Available for DMX addresses					1/110	
	Available for DMX addresses					1/109	
	Available for DMX addresses					1/108	
	Available for DMX addresses					1/107	
	Available for DMX addresses					1/106	
	Available for DMX addresses					1/105	
	Available for DMX addresses					1/104	
	Available for DMX addresses					1/103	
	Available for DMX addresses					1/102	
	Available for DMX addresses					1/101	
	Available for DMX addresses					1/96	
	Available for DMX addresses					1/95	
	Available for DMX addresses					1/94	
	Available for DMX addresses					1/93	
	Available for DMX addresses					1/92	
	Available for DMX addresses					1/91	
	Available for DMX addresses					1/90	
	Available for DMX addresses					1/89	

SR opto

U#	Purpose	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm
	Available for DMX addresses					1/88	
	Available for DMX addresses					1/87	
	Available for DMX addresses					1/86	
	Available for DMX addresses					1/85	
	Available for DMX addresses					1/84	
	Available for DMX addresses					1/83	
	Available for DMX addresses					1/82	
	Available for DMX addresses					1/81	
	Available for DMX addresses					1/80	
	Available for DMX addresses					1/79	
	Available for DMX addresses					1/78	
	Available for DMX addresses					1/77	
	Available for DMX addresses					1/76	
	Available for DMX addresses					1/75	
	Available for DMX addresses					1/74	
	Available for DMX addresses					1/73	
	Available for DMX addresses					1/72	
	Available for DMX addresses					1/71	
	Available for DMX addresses					1/70	
	Available for DMX addresses					1/69	
	Available for DMX addresses					1/68	
	Available for DMX addresses					1/67	
	Available for DMX addresses					1/66	
	Available for DMX addresses					1/65	